

ISUZU D-MAX/RT-50



Modell 2012





15U4113

EU-turvakaari 76 mm integroidulla poikkiputkella 51 mm
EU-pedestrian protection bar 76 mm with cross pipe 51 mm
Jaloteräs / Stainless steel



15U4213

EU-henkilöturvakaari 60 mm
EU-Pedestrian Protection Bar 60 mm
Jaloteräs / Stainless steel



15U4014

EU-alleajoeste putki 42 mm
EU underride guard Tube 42 mm
Jaloteräs / Stainless steel



15U4071

Astinlauta
Running Board
Jaloteräs / Stainless steel



15U4119

Turvakaari 60 mm

Rollbar 60 mm

Jaloteräs / Stainless steel



15U9219

Asennus Kit varten turvakaari 15U4119 Roll N Lock

Mounting Kit for Rollbar 15U4119 Roll N Lock

Jaloteräs / Stainless steel



15U4119A

Turvakaari 15U4119 asennettu ilman etulevy 60 mm

Roll bar 15U4119 mounted without faceplate 60 mm

Jaloteräs / Stainless steel



15U5790 DC (DOUBLE CAP)

15U5690 XC (SPACE CAB)

**vetolaatikko Laatikon valmistettu vedenkestävä liimapu-
usta musta kaide**

**Drawer made of water-resistant glued wood with black
railing**

Puu + Teräs / Wood + Steel