

# ISUZU D-MAX/RT-50



Modell 2012





**15U4113**

Protection avant, homologuée CEE, 76 mm, traverse 51 mm  
DC/KC

EU-pedestrian protection bar 76 mm with cross pipe 51 mm  
Inox / Stainless steel



**15U4213**

Protection avant, homologuée CEE, 60 mm, DC/KC  
EU-Pedestrian Protection Bar 60 mm

Inox / Stainless steel



**15U4014**

Protection de pont CE Tube 42 mm, UE - certificat est valable avec 15U4113 ou 15U4213

EU underride guard Tube 42 mm

Inox / Stainless steel



**15U4071**

Marchepied

Running Board

Inox / Stainless steel



**15U4119**  
**Arceau 60 mm**  
**Rollbar 60 mm**  
**Inox / Stainless steel**



**15U4119**  
**Kit de montage Arceau de sécurité pour 15U4119 N Roll**  
**verrouillage**  
**Mounting Kit for Rollbar 15U4119 Roll N Lock**  
**Inox / Stainless steel**



**15U4119A**  
**Arceau 15U4119 monté sans façade 60 mm**  
**Roll bar 15U4119 mounted without faceplate 60 mm**  
**Inox / Stainless steel**



**15U5790 DC (DOUBLE CAP)**  
**15U5690 XC (SPACE CAB)**  
**Tiroir en bois résistant à l'eau collé avec garde-corps noir**  
**Drawer made of water-resistant glued wood with black**  
**railing**  
**Bois + Acier / Wood + Steel**