

FORD RANGER



Modell 2012





15V4013

Defensa homologada de 76 mm
EU-Pedestrian Protection Bar 76 mm
Acero inoxidable / Stainless steel



15V5013

Peatones UE Protección Guardia 76 mm negro
EU-Pedestrian Protection Bar 76 mm black
Acero inoxidable / Stainless steel coated in black plastic



15V4017

Tubo protector de spoiler acodado EU 60mm
EU-Spoiler protection pipe cranked 60 mm
Acero inoxidable / Stainless steel



15V4214

UE-protección antiempotramiento placa con 2 tubos de 42 mm
Homologación UE sólo válida con 15V4013
EU-underride protection plate with 2 pipes 42 mm
EU-certificate is valid with 15V 4013
Acero inoxidable / Stainless steel



15V4119A

Rollbar 60 mm alto, aplicable para los coches con el resto original de carga segura
Rollbar 60 mm high, applicable for cars with original secure load rest
Acero inoxidable / Stainless steel



15V4119

Barra antivuelco 60 mm, ROLL 'N LOCK combinable con barra antivuelco
Rollbar 60 mm, ROLL 'N LOCK with roll bar in combination allowed
Acero inoxidable / Stainless steel



15V4119B

Roll bar montado 15V4119 sin cubierta alto, aplicable para los coches con el resto original de carga segura
Roll bar 15V4119 mounted without faceplate high, applicable for cars with original secure load rest
Acero inoxidable / Stainless steel



15V9219

Kit de montaje para Rollbar 15V4119 Lock N Roll
Mounting Kit for Rollbar 15V4119 Roll N Lock
Edelstål / Stainless steel



15V5790 DC (DOUBLE CAP)

15V5690 XC (EXTRA CAP)

Bandeja 1330 mm (DC) / 1700 mm (XC)

Cajón, hecho de agua adicional resistente madera pegados con barandilla negro, Límite máximo de carga: 250 kg

Drawer 1330 mm (DC) / 1700 mm (XC)

Drawer, made of water-resistant glued wood with black railing, loadable up to 250 kgs

Madera + Acero / Wood + Steel